



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/623,578	07/22/2003	Lars Blank	030307-0217	6542
22428	7590	11/28/2007	EXAMINER	
FOLEY AND LARDNER LLP			ARIANI, KADE	
SUITE 500			ART UNIT	
3000 K STREET NW			PAPER NUMBER	
WASHINGTON, DC 20007			1651	
			MAIL DATE	DELIVERY MODE
			11/28/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/623,578	Applicant(s) BLANK ET AL.	
	Examiner Kade Ariani	Art Unit 1651	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12 September 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 31-47 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 31-47 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claims 31-47 are pending in this application and were examined on their merits.

All previous rejections are withdrawn.

Applicant's arguments with respect to claims 31-47 filed on 09/12/2007 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 31-47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ward et al. (Journal of Bacteriology, 2000, Vol. 182, No. 11, p.3239-3246) in view of Jensen & Hammer (Biotechnol Bioeng, 1998, Vol. 58, p. 191-195) and further in view of Jensen et al. (PNAS, 1993, Vol. 90, p.8068-8072) and further in view of de Vos (Antonie van Leeuwenhoek 1996, Vol.70, p.223-242).

Claims 31-47 are drawn to a culture of lactic acid bacterial cells, reduced glycolytic flux and, and under aerobic conditions, a respiratory metabolism, whereby

Art Unit: 1651

said culture displays a yield of biomass exceeding that obtainable from substrate-level phosphorylation, the reduced glycolytic flux is provided by introducing mutations in said cells to generate a lower rate of metabolism of the carbon source and respiratory metabolism is provided by introducing manipulations to said cells to produce an increased yield of ATP in said cells via oxidative phosphorylation when said cells are propagated in the presence of a terminal electron acceptor, starter culture comprising the lactic acid bacterial culture, the composition is frozen, a bacterial nutrient or cryoprotectant, 10^4 to 10^{12} CFU/g, cells contain a cytochrome (at least 0.1 ppm on a dry matter basis), and two or more different lactic acid bacterial strains.

Applicants state that "glycolytic flux" relates to the consumption of a carbon source and that "reduced glycolytic flux" relates to a flux in a cell which is reduced relative to the flux in cells cultivated under aerobic conditions in the presence of a porphyrin compound and in excess amounts of lactose or glucose) specification page 14, lines 9-12). As the definitions are not explicit, i.e. applicant used the phrasing "relates to," the broadest reasonable interpretation of "reduced glycolytic flux" would be the reduction of the ability to consume any carbon source – this is the claim construction the examiner has used to examine the claims.

Jensen & Hammer teach culture of lactic acid bacterial cells (*Lactococcus lactis*). Jensen & Hammer do not specifically mention a reduced glycolytic flux. Jensen & Hammer however do teach metabolic engineering strategies to increase the productivity of microbial bioreactors, expression systems and strategies to introduce mutations and allow the modulation of gene expression in *Lactococcus lactis*. Jensen & Hammer teach

Art Unit: 1651

it is necessary to perform metabolic optimization to modulate the expression of the relevant gene around the normal expression level and determine to optional expression level, for instance as the level that maximize a particular flux or yield (p.192, 1st column, p.195, 1st column, 3rd paragraph). The culture claimed would have been obvious at the time the invention was made because it would have been obvious to metabolically engineer the lactic acid bacteria of Jensen & Hammer to have a reduced glycolytic flux and respiratory metabolism under aerobic conditions because Jensen et al. (2nd Jensen PNAS) teach introducing mutations to generate a lower rate of metabolism of the carbon source (reduced glycolytic flux), overexpression of H⁺ ATPase (during aerobic growth with glucose as growth substrate) results in an increased [ATP/ [ADP], the negative control on growth rate, and the production of building blocks for more biomass (increase biomass) (p. 8072 1st paragraph), and further teach flux control should rather reside in substrate transport. Please note that in organisms, which contain a respiratory chain, the primary role of H⁺ ATPase is to synthesize ATP driven by the proton gradient that results from respiration, when these organisms are supplied with an electron acceptor. Jensen et al. (2nd Jensen PNAS) teach H⁺ ATPase is a key enzyme in the mechanism of cellular free-energy metabolism. Jensen et al. teach mutations in the *lac* operon to allow for ready control and monitoring of the expression of the H⁺ ATPase (*atp* operon) (see Material & methods).

Further motivation to do the genetic modification described above is provided by Ward et al. who teach the relationship between the reduced glycolysis and increase in the biomass as a result of ATP production via substrate level phosphorylation under

Art Unit: 1651

aerobic conditions. Ward et al. teach in *Enterococcus faecalis* culture, under aerobic condition, expression of a gene cluster involved in the metabolism of a growth substrate result in formation of ATP via substrate level phosphorylation a marked increase in biomass, expression of the gene cluster is repressed in the presence of a more readily metabolizable carbon source such as glucose (see Abstract & p. 3242, 2nd column, 2nd paragraph).

Even further motivation to do the genetic modification discussed above is provided by De Vos who teaches the main factor causing the metabolic inflexibility of lactic acid bacteria is the absence of functional electron transport chain, this prevents the generation of energy by the reduction of external electron acceptors, thereby limiting the number of catabolic pathways that provide energy (p. 223, 2nd column, lines 1-6), De Vos teaches only two ways are known by which LAB generate metabolic energy, the simplest is substrate level phosphorylation, and a second indirect way for the generation of metabolic energy in LAB is from the conversion of a solute gradient into an electrochemical gradient of protons (by secondary transporters), the proton gradient is used to generate ATP via the membrane-located ATPase (p.224, 11stcolumn, lines 1-4)

De Vos teaches physiological studies have shown that lactic acid bacteria show greater metabolic potential when the reduced cofactors, from which NADH is the most important, are regenerated by exogenous electron acceptors (p. 236, column 1, 2nd paragraph).

De Vos also teaches it is evident that lactic acid bacteria have very flexible metabolism and that metabolic engineering allows for the further expansion of the

Art Unit: 1651

potential of lactic acid bacteria as starter cultures in products or as cell factories in fermentors. De Vos further teaches the concentration of important substrates such as [NADH]/ [NAD⁺] and [ATP] / [ADP] ratios is now feasible in *L. lactis* by using well-controlled promoters (p.238, 2nd column, lines 5-10).

The cited references do not teach a cryoprotectant, 10^4 to 10^{12} CFU/g, and cells contain at least 0.1 ppm on a dry matter basis cytochrome. However, routine experimentation is widely used by one of ordinary skill in the art to determine optimum or workable ranges of particular parameters such as pH, temperature, concentration of the enzyme or its substrate. "[W] here the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation." *In re Aller*, 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955) (MPEP Chapter 2100 - p.141). Also, at the time the invention was made adding glycerol (cryoprotectant) prior to freeze-drying the cells to enhance the viability of bacterial cells during storage was very well known in the art.

Therefore, a culture of lactic acid bacteria with a reduced glycolytic flux and respiratory metabolism under aerobic conditions would have been obvious at the time the invention was made because it would have been obvious to one of ordinary skill in the art to manipulate (to introduce mutations to) LAB cells to have reduced glycolytic flux (lower metabolic rate of a carbon source) and a respiratory metabolism by an increased yield of ATP (via oxidative phosphorylation in the presence of a terminal electron acceptor) for the reasons set forth above.

Art Unit: 1651

Conclusion


No claims are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kade Ariani whose telephone number is (571) 272-6083. The examiner can normally be reached on 9:00 am to 5:30 pm EST Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Wityshyn can be reached on (571) 272-0926. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Kade Ariani
Examiner
Art Unit 1651



Leon B. Larkford Jr.
Primary Examiner
Art Unit 1651